

## DDR4 VLP ECC U-DIMM

### Memory Module



The ADATA industrial-grade DDR4 VLP ECC U-DIMM memory modules feature a low height of 0.73 inches and high speeds up to 3200 MT/s, making them ideal for space-constrained devices, such as blade servers, thin clients, and other embedded systems. In addition, the DDR4 VLP ECC U-DIMM memory modules operate on just 1.2V for improved power efficiency. All ADATA industrial-grade memory modules meet JEDEC and RoHS standards to ensure products with high levels of compatibility, stability, and environmental friendliness.

### Features

- Very Low Profile (VLP) design – especially suits blade servers and thin clients
- Great performance up to 3200 MT/s
- High capacities up to 32GB
- Low operating voltage of 1.2V for improved power efficiency
- ECC technology for more reliable data transmission
- 30 $\mu$  PCB gold plating for improved product durability and longevity
- Customized services: Anti-Sulfuration and Conformal Coating for enhanced durability
- Suitable for server, data center, networking, edge computing, IoT, 5G, and surveillance applications

## Ordering Information

Capacity	P/N			IC Configuration
	3200 MT/s	2666 MT/s	2400 MT/s	
4GB		AD4C2666W4G19-BSSF	AD4C2400W4G17-BSSF	512x8
8GB	AD4C320038G22-BSSC	AD4C266638G19-BSSC	AD4C240038G17-BSSC	1024x8
16GB	AD4C3200316G22-BSSC	AD4C2666316G19-BSSC	AD4C2400316G17-BSSC	1024x8
16GB	AD4C3200716G22-BSSA	AD4C2666716G19-BSSA	AD4C2400716G17-BSSA	2048x8
32GB	AD4C3200732G22-BSSA	AD4C2666732G19-BSSA	AD4C2400732G17-BSSA	2048x8

\*ADATA implements high-quality original ICs on its industrial-grade memory modules.

\*\*ADATA can offer memory modules customized to the specific needs of your operations. Please contact an ADATA sales representative for a consultation.

## Specifications

Model	DDR4 VLP ECC U-DIMM
Interface	DDR4
Module Type	VLP ECC U-DIMM
Frequency	2400, 2666, 3200 MT/s
Capacity	4GB, 8GB, 16GB, 32GB
Pin Count	288 Pin
PCB Height	0.73 inches/1.85cm
Operating Voltage	1.2V
Operating Temperature(Standard)	0°C to 85°C
Operating Temperature(Industrial)	-
Standard	JEDEC
RoHS	Yes

## Contact Us

### HQ (Taiwan):

T: +886-8228-0886

E: [IA\\_Global@adata.com](mailto:IA_Global@adata.com)

### US:

T: +1-714-332-8708

E: [IASales\\_mx@adata.com](mailto:IASales_mx@adata.com)

### Mexico:

E: [IASales\\_mx@adata.com](mailto:IASales_mx@adata.com)

### EU:

T: +49-899-0405-296

E: [IASales\\_eu@adata.com](mailto:IASales_eu@adata.com)

### China

T: +86-21-6233-1010

E: [IASales\\_cn@adata.com](mailto:IASales_cn@adata.com)

### JP:

T: +81-3-5807-0011

E: [IASales\\_jp@adata.com](mailto:IASales_jp@adata.com)

### APAC/MEA:

E: [IASales\\_apacmea@adata.com](mailto:IASales_apacmea@adata.com)